

1	1
2	2
2.1	2
2.2	2
2.3	2
3	4
3.1	4
3.2	7
3.3	10
3.4	11
3.5	12
3.6	16
4	20
4.1	/	20
4.2	28
4.3.	31
5	38
5.1) β^3 k ; AP^* R^* >	38
5.2		

1

1997

GAP

2016

2017 11

A

0.04 /

2020 3

2020 7

2020 203

2023

2

2024 5

2024 7 12-13

2

2.1

1				2015.1.1	
2				2018.12.29	
3				2018.12.29	
4				2018.1.1	
5					2020.9.1
6				2018.10.26	
7				2012.7.1	
8				2016.7.2	
9				2016.7.2	
10				2019.1.1	
11					
2018	6	2018.1.30			
12			2021	15	2021.1.1
13					2010 38
14					2017 4

2.2

1				HJ792-2016	2016.7.1
2				HJ819-2017	2017.6.1
3					2015 113
2015.12.31					

2.3

1				2020.5	
2					
				2020 203	2020.7.28
1					
3					

2023.3

4

2023.3 2


5

3

6

4

		NE	1112	-	
		NE	450	200	
			1300	90	
		10			
					GB15618-2018
					GB36600-2018




3.1-1



3.1-2

3.1.2

陕西商洛盘龙植物药业有限公司厂区平面图



3.1-3

3.2

3.2.1

3.2-1

3.2-1

1		50	0.3	2015	
2		100	900	2015	
3		50	2100	2015	

3.2.2

3.2-2

3.2-2

()

2-3

5759.58

	()			
	2936.01		3692.01	1 /2 +
	2447.85	2 +	2 +	
	1008	1	1	
	46	1 1 3	/	
		1026	1026	
		10 380 200 A	10 380 200 A	
		143 1 4/	143 1 4/	
		3721.96 6-7 7089.59 7	3721.96 6-7	
		15	15	
		+	+	
		+ + +	3	
		540	180	

()

30 /
1026

30 /
80

30 1

			/				/	
5		-3	1	5		-3	1	
6		900	2	6		900	2	
7		1	2	7		1	2	
8		-2000	2	8		-2000	2	
9		Q 240	2	9		Q 240	2	
10		DQ 360	1	10		DQ 360	1	
11		JD-300	1	11		JD-300	1	
12		BPJ220	1	12		BPJ220	1	
13		H -II	2	13		H -II	2	
14		D -1.2-8	1	14		D -1.2-8	1	
15		C 800	4	15		C 800	4	
16		1000	6	16		1000	6	
17		G200	3	17		G200	3	
18		FQ16L 2	1	18		FQ16L 2	1	
19		B J120	1	19		B J120	1	
20		D -600	1	20		D -600	1	
21		P-220	1	21		P-220	1	
22		D DK-520	1	22		D DK-520	1	
1	PH	-	2	1	PH	-	2	
2		-	3	2		-	3	
3		-	4	3		-	4	
4		-	3	4		-	3	
5		-	3	5		-	3	
6		-	2	6		-	2	
7	/	-	3	7	/	-	3	
8		-	2	8		-	2	

3.3

2015

3.3-1

3.3-2

3.3-1

1				1				
	(120)	/	3600		(120)	/	3600	
	()	/	5		()	/	5	
	()	/	50		()	/	50	
	()	/	3		()	/	3	
	()	/	20		()	/	20	
	()	/	1		()	/	1	

		/	1			/	1	
2								
		/	30		/	/	/	
		/	8		/	/	/	
		/	8		/	/	/	
		/	100		/	/	/	

3.3-2

1		0.25MP	/	14.00	1		0.25MP	/	14.00
2		380/220 50H		1643.39	2		380/220 50H		1643.23
3		-	/	48	3		-	/	47.99

3.4

3.4.1

120

3.4.2

14^{3/}


3.4-1

3.4-1

3.4-1

		(m ³ /d)		(m ³ /d)	(m ³ /d)
1		0.34		0.29	0.05
2		3.22		2.74	0.48
3		2.38		0.49	1.89
4		8.06		6.85	1.21
				10.37	3.63

		(m ³ /d)			(m ³ /d)	(m ³ /d)
		14.00			14.00	



3.4-1

3.5

0.3

3000

2023

1

1

3000


3.5.1

3.5-1

120




			1-2	2-4
10-15	8-12	2-3	5-10	
		30		
/				
10%			60	80
2-6				
/				



3.5-1

3.5.2



3.5-2

2

32

37

=5

3

1 4 /

O₂ NO

4

10.1065^{3/}

COD BOD₅

NH₃-N

82

0.5 /

11.808 /

3.5-1

3.5-1

			COD BOD ₅
			COD BOD ₅

			COD BOD ₅
			H ₂ NH ₃
			O ₂ NO
			A

3.6

(2018)

42

(2015 52)
2018

6

(

)

3.6-1

1

20

2

3



3.6-1

1		50%	1 3000	1 3000	1	
2						
3						
			3000	3000		
4		10%	15	15		

						20	
				+		3	
				+			
				80^{-3}		80^{-3}	


4

4.1

4.1.1

4.1.1.1

1



4.1-1

PH

O

A

AO



2

10 /


1

4.1.2.2

3

3

4.1-3



3

4 /

4 /

4.1-3

4.1.3

4.1.3.1

200

60 B

GB12523-2011

22 00 06 00

22 00-06 00


4.1.3.2

4.1-1

4.1-1

				dB A	
		2		70	
		1		75	
		4		65	
		1/2		70	

4.1-4



4.1-4

4.1.4

4.1.4.1

4.1.4.2

4.1-2

4.1-2

		(t/a)		
1		2.6		
2		0.6		
3		0.2	H 08	
4		11.808		

COD BOD₅

0.2 /

15

30

4.1-5

(1)

(2)

4.2.2

4.2.3

1

$$(1 \quad 2- \quad 3) + 4+ \quad 5$$

1

0

2

3

$2= Q$

Q

(10L/)

2

$72 \quad 3$

3

3

4

3

0

5

5 0

$$(1 \quad 2- \quad 3) + 4+ \quad 5 \quad (0+72-0)+0+0 \quad 72 \quad 3$$

$72 \quad 3$

$72 \quad 3$

$80 \quad 3$

$80 \quad 3$

2

3

1)

2)

4.3.


4.3.1“ ”

/

15

4.3-1

		30 ^{3/}	(GB8978-1996)	30 ^{3/} GB21906-2008 2	
		(30 ³)		(30 ³)	



(80³)

(80³)

15

()

(GB37823-2019
) 1

	2 3	(GB12348-2008) 3	2 3	
			BOD ₅ COD	
			2023 2	

4.3.2

	8150	238
2.92%		4.3-1

4.3-1

	15		8
	/	3	7
+15	55	+15	55

4

5

5

5.1

5.1-1

5.1-1

		15	/
		15	
		15	
		+15	
		+ +15	
		(30 ³)	
		(1026 ³)	(80 ³)

4

5

GB12523-2011

GB12348-2008 3

6

7

8

5.2.2

2023 3

6

6.1

1

(GB3095-2012)

NH₃ H₂

HJ2.2-2018

D

6.1-1

6.1-1

						()
1	O ₂	24	150	/ 3	GB3095-2012	
		1	500			
2	NO ₂	24	80			
		1	200			
3	P	24	300			
4	PM ₁₀	24	150			

2

GB3838-2002

6.1-2

6.1-2

						()
1	H	6	9	/L	GB3838-2002	
2		0.5				
3	COD	15				
4	BOD ₅	3				
5		0.05				
6	DO	6				
7		0.002				

3

GB/ 14848-2017

III

6.1-3

6.1-3

						()
1	H	6.5	8.5	/L	GB/ 14848-2017	
2		450				
3		1000				
4		0.5				
5		1.0				

				()
6		0.05		
7		20.0		
8		1.00		
9		0.05		
10		0.002		
11		3.0		
12		1.00		
13		0.01		
14		0.005		
15		1.0		
16		0.001		
17		0.01		
18		0		
19		0		
20	C ⁻	250		
21	O ₄ ²⁻	50		
22		5		
23			/L	
24		3		

4

GB 3096-2008 3

6.1-4

1	L A	65	B A	
2	L A	55		GB3096-2008 3

5

× " N_L T_M Ñ × 7 ö ÄB

GB

15618 1

(

			()	
13	1,1-	66	200	
14	-1,2-	596	2000	
15	-1,2-	54	163	
16		616	2000	
17	1,2-	5	47	
18	1,1,1,2-	10	100	
19	1,1,2,2-	6.8	50	
20		53	183	
21	1,1,1-	840	840	
22	1,1,2-	2.8	15	
23		2.8	20	
24	1,2,3-	0.5	5	
25		0.43	4.3	
26		4	40	
27		270	1000	
28	1,2-	560	560	
29	1,4-	20	200	
30		28	280	
31		1290	1290	
32		1200	1200	
33	+	570	570	
34		640	640	
35		76	760	
36		260	663	
37	2-	2256	4500	
38		15	151	
39		1.5	15	
40		15	151	
432				



GB 37823 2019 1

GB37822-2019

DB61/1226-2018 3

6.2-1

6.2-1

		mg/m ³		
		30		GB 37823 2019 1
		100		
	NO	50		DB61/1226-2018 3
	O ₂	20		
		10		
		1	10	GB37822-2019
			30	
			30 / 3	

2

GB8978-1996

GB8978-1996

GB21906-2008 2

6.2-2

6.2-2

		mg/m ³		
	COD	500		GB8978-1996
	BOD	300		
		400		
	H	6	9	
	COD	100		GB21906-2008 2
	BOD	20		
	NH ₃ -N	8		
		50		
		0.5		
		20		
		50		
		5		
		25		
	(H C ₂)	0.07		

3

GB12523-2011

GB12348-2008 3

6.2-3

6.2-3

				()
1		70	B(A)	GB12523-2011
2		55		
3		65		GB12348-2008 3
4		55		

4

GB 18599-2020

GB 18597-2023

6.3

0.0192 /

0.2289 /

7

7 12 13

5

7.1-1

7.1-2

7.1

2

7.1-1

7.1-1

7.1-1

1			H	3 / 2
2			H	

7.2

7.2.1

7.2-1

7.1-1

7.2-1

1	4 /		1	1		3 / 2

7.2.2

7.2-2

7.1-1

7.2-2

	1#	2#	3#		3 /	2
1						

	4#		
--	----	--	--

7.3

4

1


1.2

7.3-1

7.1-1

7.3-1

1	1#	2#	3#	4#	2	A	1





7.1-1

7.4

1

2

3



7.1-2

8

8.1

8.1.1

1

8.1-1

8.1-1

			/ /	
1		HJ 836-2017	GH-60E/ /IE-0206 A 120D/ /IE-0023 B L -H / /IE-0010	1.0 / ³
2		HJ 693-2014	GH-60E/ /IE-0206	3 / ³
3		HJ 57-2017		3 / ³
4		398-2007 HJ/	HM-LG30/ /IE-0250	/

2

8.1-2

8.1-2

			/ /	
1		HJ 533-2009	KB-6120 / /IE-0011 KB-6120 / /IE-0012	0.01 / ³
2		2002	KB-6120 / /IE-0013 KB-6120 / /IE-0014 722 / /IE-0034	0.001 / ³
3		1263-2022 HJ	KB-6120 / /IE-0011 KB-6120 / /IE-0012 KB-6120 / /IE-0013 KB-6120 / /IE-0014 A 120D/ /IE-0023	168 / ³ 6 ³

			B L -H / /IE-0010	
--	--	--	----------------------	--

8.1.2

8.1-3

8.1-3

1	H	H HJ 1147-2020	PH818/ /IE-0259	PH 0 14
2		HJ 828-2017	50 L	4 /L
3		BOD ₅ HJ 505-2009	P -250/ /IE-0040 JP J-605/ /IE-0009 101-3EB / /IE-0036	0.5 /L
4		GB/ 11901-1989	GL2004B/ /IE-0031	4 /L
5		HJ 535-2009	2602/ /IE-0032	

†

8.1.3

8.1-4

8.1-4

L	GB 12348-2008	A A6288+/ /IE-0015
---	---------------	-----------------------

		16024/ 9A A6022A/	/IE-010 /IE-0018
--	--	----------------------	---------------------

8.2

8.2-1 8.2-2

8.2-1

/

1		A 120D/	IE-0023	/2023.12.02-2024.12.01
		B L -H /	IE-0010	/2023.12.02-2024.12.01
2		GH-60E/	IE-0206	/2024.04.02-2025.04.01
3		AD -2062G/	IE-0011	/2024.01.20-2025.01.19
		AD -2062G/	IE-0012	/2024.01.20-2025.01.19
		AD -2062G/	IE-0013	/2024.01.20-2025.01.19
		AD -2062G/	IE-0014	/2024.01.20-2025.01.19
		722 /	IE-0034	/2023.12.02-2024.12.01
4	A	A A6288+/ 16024/	IE-0015	/2024.04.02-2025.04.01
		16024/	IE-0109	/2023.12.04-2024.12.03
		A A6022A/	IE-0018	/2023.12.04-2024.12.03

8.2-2

/

1		101-3EB /	IE-0036	/2023.12.02-2024.12.01
		GL2004B/	IE-0031	/2023.12.02-2024.12.01
2	H	PH818/ PH	IE-0259	/2023.12.02-2024.12.01
3		P -250/	IE-0040	/2023.12.02-2024.12.01
		JP J-605/	IE-0009	
4		2602/	IE-0032	/2023.12.02-2024.12.01
5		DGL-50B/	IE-0020	/2023.12.02-2024.12.01

6		CHC-100/	IE-0084	/2024.04.19-2025.04.18
---	--	----------	---------	------------------------

8.3

8.3-1

	HBJ0003	HBJ0073	HBJ0020	HBJ0030	HBJ0028
			/	/	/
	HBJ0068	HBJ0010	/	/	/

8.4

1

2

3

4

5

6

7

8

9

10%

10



10%

10%

9

9.1

82
8 288 2024 7 12 7 13

9.2

9.2.1

9.2.1.1

9.2-1

GB 201906-2008

2

9.2.1.2

15

9.2-2

O₂ NO

DB61/1226-2018 3

(GB13271-2014) 2

9.2-3

4

GB 16297-1996 2

GB14554-93 1

9.2.1.3

1

2

3

9.2-4

GB12348-2008 3

9.2.1.4

1

COD BOD₅

2

15

30

9.2.2

9.2.2.1

2024 07 12 13

9.2-1

9.2-1

	2024.07.12										2024.07.13										
H	7.9	17.0	8.1	18.4	8.0	18.8	/		7.9	16.3	8.1	17.9	8.0	19.0	/						
/L	815		781		797		798		832		824		789		815						
/L	234		242		216		231		241		234		219		231						
/L	49		55		51		52		58		49		56		54						
/L	27.1		26.8		28.5		27.5		26.8		22.5		26.5		25.3						
/L	37.6		39.4		35.9		37.6		36.9		41.8		39.4		39.4						
/L	2.33		2.43		2.22		2.33		2.51		2.34		2.40		2.42						
/L	3.60		3.46		3.41		3.49		3.36		3.36		3.15		3.29						
()	20		30		20		23		30		30		30		30						
* /L	0.03		0.03		0.03		0.03		0.03		0.03		0.03		0.03						
* /L	157		157		170		161		172		165		178		172						
	2024.07.12										2024.07.13										
H	7.8	17.3	7.8	18.1	7.8	19.3	/		7.8	16.0	7.6	18.1	7.8	18.7	/		/		6~9		
/L	29		30		24		28		96.49		31		33		31		32		96.07		100
	9.2		7.4		8.6		8.4		96.36		9.7		9.2		9.6		9.5		95.89		20

/L											
/L	12	11	14	12	76.92	10	11	14	12	77.78	50
/L	0.410	0.460	0.383	0.418	98.48	0.460	0.360	0.493	0.438	98.27	8
/L	1.59	1.41	1.50	1.50	96.01	1.22					

9.2.2.2

1

9.2-2

9.2-2

		2024.7.12							2024.7.13		
		2024.7.12				2024.7.13					
										/	/
		109.3	112.7	113.9	112.0	101.9	111.7	122.5	112.0	/	/
	/	5.83	5.88	5.98	5.90	5.91	5.95	6.01	5.96	/	/
	%	2.6	3.3	3.9	3.3	3.3	2.8	4.0	3.4	/	/
	%	5.0	5.0	5.1	5.0	5.3	5.2	5.2	5.2	/	/
	3/	3337	3366	3423	3375	3383	3406	3440	3410	/	/
	3/	2025	2024	2050	2033	2095	2056	2019	2057	/	/
	/ 3	1.1	1.5	1.3	1.3	1.1	1.4	1.2	1.2	/	/
	/ 3	1.0	1.5	1.3	1.3	1.1	1.3	1.2	1.2	10	
	/	2.23 1 0 ⁻³	3.04 1 0 ⁻³	2.66 1 0 ⁻³	2.64 1 0 ⁻³	2.30 1 0 ⁻³	2.88 1 0 ⁻³	2.42 1 0 ⁻³	2.53 10 ⁻³	/	/
	/ 3	3ND	3ND	3ND	3ND	3ND	3ND	3ND	3ND	/	/
	/ 3	3ND	3ND	3ND	3ND	3ND	3ND	3ND	3ND	20	
	/	/	/	/	/	/	/	/	/	/	/
	/ 3	26	24	20	23	28	25	28	27	/	/
	/ 3	25	24	20	23	28	24	29	27	50	
	/	0.0526	0.0486	0.0410	0.0474	0.0587	0.0514	0.0565	0.055 5	/	/
		<1	<1	<1	<1	<1	<1	<1	<1	<1	/

9.2-2

O₂ NO

DB61/1226-2018

3

(GB13271-2014) 2

2

1

3

H₂ NH₃

9.2-3

9.2-3

		mg/m ³

○



9.2.2.3

2024 07 12 13

4

9.2-4

9.2-4

dB A

	Leq[dB A]	
	2024.7.12	2024.7.13
1#	55	56

1#

55

56

9.2.2.5

9.2-5

9.2-5

	kg/h	h/a	t/a	t/a	t/a	
	2.585 10 ⁻³	2304	0.0056	0.0078	0.0078	
O ₂	/	2304	/	0.0192	0.0192	
NO	0.05145	2304	0.1185	0.2289	0.2289	

9.2-5

10

10.1

10.1.1

1

O₂ NO

DB61/1226-2018 3

(GB13271-2014) 2

GB 16297-1996 2

GB14554-93 1

2

10.1.2

1

O₂ NO

DB61/1226-2018 3

(GB13271-2014) 2

2

GB

201906-2008 2

3

GB12348-2008 3

4

5

10.2

GB*3096-2008

“ ”

2019-611026-27-03-026914

□ □

/ 109 5 45
3.

